

Supplementary Material: A Vote-and-Verify Strategy for Fast Spatial Verification in Image Retrieval

Johannes L. Schönberger^{1*}, True Price^{2*}, Torsten Sattler^{1*},
Jan-Michael Frahm², Marc Pollefeys^{1,3}

¹ ETH Zürich, ² UNC Chapel Hill, ³ Microsoft

1 Distractor Sets

We introduce four new distractor sets consisting of geo-tagged images from the Yahoo 100M image dataset [3]. There are 724,445 images in total: The first dataset consists of images taken between 2km and 50km from the center of the University of Oxford, UK (140,848 images; DD coord.: 51.750318,-1.255942). The other three datasets were collected from 30 cities across the UK (170,980 images), 30 cities across continental Europe (179,287 images), and 30 cities across the continental United States (233,330 images). For the latter three distractor sets, cities were manually chosen to be spread across the respective area. The UK and Europe datasets consist of images taken within 1km of each city center, while the US dataset consists of images taken within 2km of each center. We downloaded images to a maximum resolution of 1024px in either dimension, with larger images being resized accordingly. A full listing of the 30 cities used for each distractor set is given in Table 1.

2 Query Dataset

Additionally, we introduce a new query image set, termed *World5k*, for the purpose of image retrieval, again consisting of images from [3]. This image set consists of 5,320 images collected from 61 sites around the world, plus an additional 163 query images. These image collections were obtained by combining geo-tag information with overlap information from Heinly *et al.* [1]. Unlike query sets such as the Oxford5k dataset [2], our query images are full-size (up to 1024px), rather than cropped regions of a larger image. We do not consider quality of view when computing retrieval results (*i.e.* “junk” versus “ok” versus “good” in Oxford5k). Also different from Oxford5k, our new query dataset only consists of landmark images – every image in the dataset has at least one associated query image, and there are no distractor images. As a result, the dataset has low inter-landmark confusion. A full list of the various landmarks and their number of images can be found in Table 2.

* These authors contributed equally to the paper.

3 Results on Different Vocabularies

In this section, we present additional image retrieval results for vocabulary sizes of 20k words and 1M words. As in the main paper, we compute mean average precision (mAP) and timings for the Oxford5k, Paris6k, and World5k query datasets using vocabularies learned from the Paris6k, Oxford5k, and Oxford5k datasets, respectively. Tables 3 to 8 show the results for the various methods and distractor sets tested in the original paper. The results for 20k words outperform the results for 1M words in terms of mAP, since we use a Hamming embedding to mitigate quantization artifacts.

4 Source Code and Datasets

The new query and distractor image datasets and the source code for our method are released to the public at <https://github.com/vote-and-verify>.

References

1. Heinly, J., Schönberger, J.L., Dunn, E., Frahm, J.M.: Reconstructing the world* in six days *(as captured by the yahoo 100 million image dataset). In: CVPR. (2015)
2. Philbin, J., Chum, O., Isard, M., Sivic, J., Zisserman, A.: Object retrieval with large vocabularies and fast spatial matching. In: CVPR. (2007)
3. Thomee, B., Shamma, D.A., Friedland, G., Elizalde, B., Ni, K., Poland, D., Borth, D., Li, L.J.: Yfcc100m: The new data in multimedia research. Comm. ACM (2016)

Table 1. City names and decimal degrees coordinates for the UK, Europe, and US distractor image sets.

	30 Cities – UK	30 Cities – Europe	30 Cities – US
Basingstoke	51.2666872,-1.092034	Antwerp	51.219360,4.402323
Bath	51.375835,-2.359896	Athens	37.984473,23.728726
Bedford	52.136242,-0.467031	Belgrade	44.787389,20.449370
Birmingham	52.487244,-1.891099	Bucharest	44.426931,26.102699
Bristol	51.455206,-2.588308	Budapest	47.498295,19.038287
Cambridge	52.206307,0.121360	Carcassone	43.212050,2.352857
Canterbury	51.280364,1.078872	Chisinau	47.010851,28.861608
Cardiff	51.482126,-3.179155	Clermont-Ferrand	45.776943,3.086891
Chelmsford	51.736199,0.468642	Colmar	48.079357,7.358125
Cheltenham	51.899389,-2.078354	Haarlem	52.387375,4.645754
Coventry	52.408016,-1.519383	Hamburg	53.550740,9.990988
Ely	52.399677,0.262364	Innsbruck	47.269218,11.403219
Exeter	50.718880,-3.534147	Kosice	48.716305,21.260816
Gloucester	51.864423,-2.238221	Lisbon	38.722062,-9.139605
Grimsby	53.567564,-0.079957	Marseille	43.296863,5.367715
Harrogate	53.994819,-1.541618	Minsk	53.915535,27.546862
Hereford	52.056545,-2.715996	Mont Saint-Michel	48.636009,-1.511136
Hull	53.745470,-0.362378	Odessa	46.482881,30.723797
Ipswich	52.056755,1.148030	Prague	50.075404,14.442463
Leicester	52.636890,-1.140028	Riga	56.949834,24.101005
Lincoln	53.230418,-0.540391	Seville	37.389551,-5.984928
Northampton	52.240725,-0.902543	Siena	43.318798,11.330417
Norwich	52.630866,1.297492	Sofia	42.697682,23.322572
Peterborough	52.569473,-0.241060	St. Petersburg	59.935281,30.331548
Salisbury	51.069136,-1.794783	Strasbourg	48.573181,7.750076
Stoke-on-Trent	53.003535,-2.173314	Tirana	41.327783,19.818681
Stratford-upon-Avon	52.191909,-1.708276	Vilnius	54.685341,25.282767
Winchester	51.060470,-1.310492	Wroclaw	51.107661,17.038297
Wrexham	53.043190,2.992631	Yverdon-les-Bains	46.780767,6.640544
York	53.959803,-1.087630	Zagreb	45.815294,15.981496

Table 2. Name, number of database images, and number of query images for each of the 61 landmarks in our new query set.

Name	# Database	# Query	Name	# Database	# Query
Alhambra Palace	48	1	Notre Dame, Rosary Window	100	3
Arc de Triomphe	85	3	Palace of Versailles, Chapel	100	3
Basilica di Santa Croce	71	2	Palace of Westminster	100	3
Bellagio	78	3	Pantheon (exterior)	100	3
Blue Mosque (exterior)	30	1	Pantheon (interior)	100	3
Blue Mosque (interior)	100	3	Palais Garnier	100	3
Brandenburg Gate	100	3	Petra, Jordan	93	3
British Museum (exterior)	100	3	Piazza dei Miracoli	100	3
British Museum (interior)	83	3	Piazza della Signoria	94	3
Buckingham Palace	100	3	Piazza di Spagna	100	3
Colosseum (exterior)	100	3	Piazza San Marco	100	3
Colosseum (interior)	100	3	Pieta Michaelangelo	100	3
Eiffel Tower (night)	80	3	Prague Castle	32	1
Espanade des Invalides	47	1	Reichstag	63	2
Florence Cathedral	84	3	Royal Palace, Amsterdam	39	1
Forbidden City (entrance)	81	3	Ruins of St. Paul's	100	3
Freiburger Münster	31	1	Sacre Coeur	100	3
Golden Gate Bridge	87	3	Senso-ji Temple	100	3
Grand Central Terminal, New York	100	3	St. Paul's Cathedral	100	3
Hagia Sophia (interior)	100	3	St. Peter's Basilica (interior)	100	3
Itsukushima Shrine	41	1	St. Peter's Square	100	3
Kinkaku-ji Temple	98	3	St. Vitus Cathedral	100	3
Kiyomizuya-dera Temple	98	3	Sydney Harbour Bridge	74	2
London Bridge	100	3	Taj Mahal	100	3
London Eye	82	3	Taj Mahal, entrance	60	2
Louvre	100	3	Todai-ji Temple	100	3
Milan Cathedral	100	3	Trevi Fountain	100	3
Mount Rushmore	100	3	Victor Emmanuel II Monument	100	3
National Gallery, London	100	3	Western Wall, Jerusalem	92	3
Natural History Museum, London	49	1	Westminster Abbey	100	3
Notre Dame Cathedral	100	3			

Table 3. Verification accuracy and efficiency measured on the Oxford5k dataset using a vocabulary of 20k words. The **best**, **second-best**, and **third-best** results are highlighted for each column.

	-	F100k	Ox	UK	EU	US	Ox+UK	Ox+EU	Ox+US	UK+EU	UK+US	EU+US	Ox+TK+EU	Ox+TK+US	Ox+BEU+US	Ox+EU+US	Ox+UK+EU+US	All
Pure Retrieval		72.5	62.7	61.0	55.1	54.3	55.9	53.0	52.0	53.6	51.0	50.9	49.7	49.8	49.7	48.7	47.8	47.4
FSM Aff	82.0	78.1	75.8	71.6	72.5	75.0	70.0	70.8	72.5	69.0	70.0	70.6	67.7	68.7	68.0	67.8	66.1	65.5
+ Eff. Inl. Eval	81.4	77.8	75.5	71.3	73.9	74.6	69.7	70.4	72.1	68.7	69.7	70.2	67.5	68.4	68.6	67.5	65.9	65.5
+ Eff. Inl. Post	79.5	75.7	73.5	69.3	70.1	72.3	67.8	68.7	70.3	66.8	67.7	68.4	65.8	66.6	66.9	65.7	64.2	63.7
FSM-R Aff	81.8	77.9	75.5	71.3	72.0	74.6	69.6	70.4	72.1	68.6	69.7	70.1	67.3	68.3	68.4	67.4	65.7	65.2
+ Eff. Inl. Eval	81.2	77.6	75.1	70.9	71.6	74.2	69.4	70.2	71.7	68.4	69.3	69.8	67.2	68.1	68.3	67.2	65.6	65.3
+ Eff. Inl. Post	79.2	75.5	73.1	68.9	69.6	71.9	67.4	68.4	69.8	66.5	67.4	68.0	65.5	66.3	66.5	65.4	63.9	63.5
FSM Sim	81.2	77.5	75.0	71.0	71.8	74.1	69.3	70.1	71.6	68.4	69.4	69.9	67.1	67.9	68.2	67.3	65.5	65.1
+ Eff. Inl. Eval	80.4	77.4	74.8	70.0	71.9	74.9	69.0	70.0	71.4	68.4	69.5	69.7	67.1	68.0	68.2	67.3	65.4	65.0
+ Eff. Inl. Post	78.2	75.8	72.6	68.6	70.3	71.7	67.2	67.9	69.7	66.2	67.0	67.6	65.1	65.9	66.3	65.3	63.6	63.2
FSM-R Sim	80.6	77.3	74.5	70.5	71.2	73.6	68.9	69.6	71.1	67.9	68.9	69.4	66.6	67.5	67.7	66.8	65.1	64.9
+ Eff. Inl. Eval	80.2	76.9	74.5	70.6	71.4	73.6	69.0	69.8	71.3	68.0	68.9	69.6	66.9	67.7	68.0	66.9	65.4	65.4
+ Eff. Inl. Post	77.5	74.6	71.7	67.7	68.4	70.8	66.3	67.0	68.8	65.3	66.2	66.8	64.3	65.1	65.5	64.4	62.9	63.1
HPM	70.3	64.3	62.8	58.7	58.0	60.4	57.6	57.0	58.8	56.0	56.8	56.5	55.2	55.9	55.6	54.9	54.1	53.7
ADV	73.5	66.6	64.7	59.7	59.5	63.1	58.6	58.4	61.0	57.1	58.4	58.2	56.4	57.5	57.3	56.5	55.7	55.5
PGM	72.1	60.7	58.8	51.8	51.8	52.0	49.5	49.9	50.0	47.6	47.2	47.9	46.6	46.4	46.7	45.8	44.7	44.3
Ours	80.6	76.1	73.1	69.2	69.9	71.7	67.4	68.0	69.3	66.8	67.7	67.9	65.2	65.9	66.2	65.3	63.8	63.5
+ Eff. Inl. Post	79.8	76.3	73.8	69.7	70.0	72.4	68.2	68.7	70.4	67.0	68.0	68.3	65.9	66.8	66.9	65.8	64.5	64.0
Runtime [s]																		
FSM Aff	94.2	118.5	126.2	147.9	162.4	144.2	152.9	138.8	168.5	192.1	182.2	180.6	190.9	191.9	189.9	180.9	180.9	180.9
+ Eff. Inl. Eval	1403.8	1751.3	1807.1	2149.0	2200.5	1939.5	2101.4	1631.0	2070.4	2289.4	2188.7	2212.9	2252.4	2164.3	2146.6	2249.9	2238.0	2218.4
+ Eff. Inl. Post	94.2	119.0	126.4	148.3	162.7	145.2	184.0	183.0	171.4	193.7	184.3	187.5	194.0	184.2	182.1	192.8	193.3	192.5
FSM-R Aff	53.1	71.1	75.6	99.8	103.7	84.5	104.9	102.3	91.8	111.1	105.0	107.7	110.9	103.5	102.0	109.5	109.6	108.9
+ Eff. Inl. Eval	1230.9	1430.5	1470.7	1740.0	1786.8	1573.7	1761.0	1739.8	1612.4	1825.4	1752.7	1783.9	1822.6	1734.7	1721.0	1795.9	1784.6	1765.6
+ Eff. Inl. Post	53.9	72.2	76.7	101.4	103.4	86.1	107.4	90.4	114.0	107.1	107.9	113.1	105.7	104.3	111.9	111.6	111.4	
FSM Sim	96.0	119.9	127.2	158.3	163.8	148.0	188.8	178.9	176.1	198.6	188.0	193.4	196.5	187.3	184.8	195.5	195.3	192.9
+ Eff. Inl. Eval	1512.8	1777.6	1832.0	2180.5	2233.0	1955.3	2221.0	2196.2	2029.2	2313.4	2212.4	2245.8	2281.4	2192.7	2178.0	2279.2	2265.2	2244.9
+ Eff. Inl. Post	97.1	120.4	128.3	160.8	165.7	190.7	188.0	177.8	170.0	190.4	195.3	199.2	189.7	188.0	198.4	197.5	195.4	
FSM-R Sim	5.1	6.0	7.2	9.7	95.7	98.1	81.1	81.1	81.1	81.1	81.1	81.1	81.1	81.1	81.1	97.8	90.5	89.5
+ Eff. Inl. Eval	1230.3	1431.7	1460.0	1750.5	1787.7	1743.7	1755.5	1739.3	1600.6	1823.4	1751.9	1786.4	1813.2	1728.0	1733.3	1782.1	1763.2	1754.5
+ Eff. Inl. Post	52.6	69.4	73.8	97.3	99.9	82.9	103.4	102.1	90.6	109.6	103.1	106.2	108.7	101.7	100.1	108.0	107.6	107.1
HPM	7.7	9.5	9.5	11.9	11.5	10.2	14.6	14.3	12.7	15.2	14.6	14.3	15.0	14.2	14.6	14.7	14.8	14.8
ADV	14.1	15.9	16.6	19.9	21.0	18.5	22.1	21.4	20.6	22.9	21.8	23.0	23.2	21.9	21.6	22.8	22.5	22.3
PGM	17.8	18.9	18.7	19.8	20.7	19.5	20.7	20.4	21.3	21.0	21.1	20.9	20.6	20.7	21.0	21.2	20.7	
Ours	7.9	9.6	9.9	12.2	12.0	10.5	13.6	13.4	12.7	14.3	13.9	13.5	15.2	14.4	14.2	15.1	14.8	14.6
+ Eff. Inl. Post	8.2	10.6	11.1	13.7	13.6	12.0	15.6	15.3	14.3	16.4	15.7	15.5	17.1	16.0	15.8	16.8	16.2	16.1

Table 4. Verification accuracy and efficiency measured on the Paris6k dataset using a vocabulary of 20k words.

	-	F100k	EU	US	Eu+US	UK+EU+US	Ox+UK+EU+US	All	
Pure Retrieval		68.5	56.9	52.1	51.5	47.6	45.8	45.2	44.2
FSM Aff	74.2	65.6	60.6	61.7	58.1	56.6	55.9	54.9	
+ Eff. Inl. Eval	74.4	65.6	60.6	61.7	58.0	56.5	55.9	54.8	
+ Eff. Inl. Post	73.2	64.4	59.3	60.4	58.8	55.3	54.7	53.7	
FSM-R Aff	74.1	65.4	60.5	61.6	58.0	56.5	55.9	54.7	
+ Eff. Inl. Eval	74.1	65.4	60.5	61.6	58.0	56.5	55.9	54.4	
+ Eff. Inl. Post	73.0	64.0	59.0	60.1	56.5	55.0	54.4	53.4	
FSM Sim	73.9	65.2	60.2	60.6	57.6	56.1	55.6	54.6	53.6
+ Eff. Inl. Eval	73.8	65.1	60.1	61.2	57.7	56.0	55.4	54.4	53.4
+ Eff. Inl. Post	72.4	63.8	58.7	59.8	56.3	55.0	54.3	53.2	
FSM-R Sim	73.5	64.9	59.8	60.9	57.3	55.9	55.3	54.4	53.4
+ Eff. Inl. Eval	73.4	64.8	59.7	60.8	57.1	55.7	55.0	54.2	53.2
+ Eff. Inl. Post	72.2	63.4	58.3	59.5	55.0	54.0	52.8	51.8	
HPM	68.7	58.4	52.9	53.8	50.1	48.7	48.1	47.2	
ADV	67.2	56.3	53.9	55.3	51.7	50.2	49.3	48.3	
PGM	67.1	55.4	50.5	48.9	45.5	43.8	43.2	42.3	
Ours	73.0	63.7	58.6	59.6	56.0	54.7	54.0	53.0	
+ Eff. Inl. Post	73.1	63.8	58.6	60.1	56.4	55.0	54.3	53.3	
Runtime [s]									
FSM Aff	145.0	223.6	234.9	224.1	282.3	309.7	341.2	349.4	
+ Eff. Inl. Eval	1815.1	2396.9	2530.6	2374.0	2776.0	2875.6	3002.9		
+ Eff. Inl. Post	145.6	223.7	235.3	224.8	285.5	310.8	344.2	352.6	
FSM-R Aff	78.3	128.6	135.0	126.7	151.2	165.8	182.0	185.7	
+ Eff. Inl. Eval	1367.1	1697.9	1834.4	1746.6	1896.4	1932.2	1981.0	2021.5	
+ Eff. Inl. Post	79.2	129.9	136.4	128.2	153.7	168.3	185.0	188.4	
FSM Sim	143.5	218.8	230.4	218.6	284.0	306.4	334.1	343.2	
+ Eff. Inl. Eval	1822.3	2422.3	2539.4	2428.2	2774.7	2878.7	3039.0	3041.2	
+ Eff. Inl. Post	144.1	219.2	232.3	228.2	270.4	287.4	310.9	312.1	
FSM-R Sim	75.9	123.6	130.0	121.2	147.4	160.3	173.6	177.6	
+ Eff. Inl. Eval	1366.3	1693.0	1829.3	1737.2	1892.9	1920.8	1966.0	2005.7	
+ Eff. Inl. Post	76.9	125.0	131.0	123.0	150.3	162.7	176.4	180.3	
HPM	8.6	12.5	15.0	13.4	17.4	17.7	18.5	18.8	
ADV	16.3	21.1	22.8	21.6	25.4	26.6	27.6	28.0	
PGM	22.4</td								

Table 6. Verification accuracy and efficiency measured on the Oxford5k dataset using a vocabulary of 1M words. The **best**, **second-best**, and **third-best** results are highlighted for each column.

	-	F100k	Ox	UK	EU	US	Ox+UK	Ox+EU	Ox+US	UK+EU	UK+US	EU+US	Ox+UK+EU	Ox+UK+US	Ox+EU+US	UK+EU+US	Ox+UK+EU+US	All	
mAP [%]																			
Pure Retrieval	74.8	65.4	63.4	60.0	59.2	59.2	57.5	56.6	56.8	55.9	55.9	55.2	54.3	54.3	53.7	53.5	52.2	51.7	
FSM Aff	77.2	71.1	68.8	66.4	67.0	67.6	64.8	65.3	65.7	64.5	64.7	65.3	63.3	63.4	64.0	63.7	62.6	62.2	
+ Eff. Inl. Eval	77.3	71.8	70.0	67.6	68.2	68.8	66.3	66.8	67.2	66.0	66.1	66.8	64.9	64.9	65.7	65.2	64.3	63.9	
+ Eff. Inl. Post	77.2	71.5	69.4	67.0	67.6	67.6	65.6	66.1	66.5	65.3	65.4	66.1	64.2	64.2	65.0	64.5	63.5	63.2	
FSM-R Aff	77.2	71.1	68.8	66.4	67.0	67.6	64.8	65.3	65.7	64.5	64.7	65.3	63.3	63.4	64.0	63.7	62.6	62.2	
+ Eff. Inl. Eval	77.4	71.8	70.0	67.5	68.2	68.7	66.3	66.8	67.2	66.0	66.1	66.8	64.9	64.9	65.7	65.2	64.3	64.0	
+ Eff. Inl. Post	77.2	71.6	69.4	67.0	67.5	68.1	65.7	66.0	66.5	65.3	65.4	66.0	64.2	64.2	65.0	64.4	63.5	63.3	
FSM Sim	76.6	70.6	68.3	65.9	66.5	66.9	64.2	64.6	65.1	64.0	64.2	64.8	62.7	62.8	63.4	63.2	62.1	61.8	
+ Eff. Inl. Eval	76.9	71.2	69.5	66.9	67.6	68.2	65.6	66.1	66.7	65.3	65	66.2	64.3	64.4	65.0	64.6	63.7	63.4	
+ Eff. Inl. Post	76.7	70.9	69.4	66.2	66.9	67.6	64.8	65.3	65.9	64.5	64.7	65.3	63.4	63.4	64.1	63.7	62.8	62.6	
FSM-R Sim	76.6	70.5	68.2	65.8	66.4	66.9	64.1	64.6	65.1	63.9	64.1	64.7	62.7	62.8	63.4	63.2	62.1	61.8	
+ Eff. Inl. Eval	76.9	71.2	69.5	66.9	67.5	68.2	65.6	66.1	66.6	65.3	65.5	66.1	64.2	64.3	65.0	64.6	63.6	63.3	
+ Eff. Inl. Post	76.7	70.8	68.9	66.2	66.8	67.6	64.7	65.2	65.8	64.4	64.7	65.3	63.3	63.4	64.0	63.6	62.7	62.5	
HPM	72.8	63.6	61.3	57.9	57.9	58.1	56.0	56.0	56.2	55.2	55.1	55.1	54.1	54.0	54.0	53.7	52.8	52.5	
ADV	75.8	70.0	67.8	65.3	65.5	66.5	63.7	63.9	64.7	63.4	63.7	63.9	62.2	62.5	62.7	62.6	61.6	61.2	
PGM	74.8	64.7	62.2	58.8	58.6	58.1	55.6	55.7	54.6	54.3	52.7	52.5	52.6	52.1	50.7	50.7	50.2		
Ours	76.8	70.5	68.1	65.5	66.2	66.4	63.7	64.2	64.4	63.4	63.4	64.0	62.0	62.1	62.7	62.3	61.1	60.8	
+ Eff. Inl. Post	77.2	71.6	69.9	67.2	68.0	68.4	66.0	66.8	66.6	65.6	66.3	64.4	64.4	65.2	64.6	63.7	63.3		
	Runtime [s]																		
FSM Aff	25.9	27.9	40.8	44.5	44.5	43.5	52.1	52.9	52.1	53.6	53.8	56.2	55.5	54.1	54.8				
+ Eff. Inl. Eval	173.4	184.3	199.3	232.9	228.1	213.6	238.2	236.7	222.5	249.5	241.0	238.2	252.6	254.1	245.4	252.6	257.8	258.1	
+ Eff. Inl. Post	23.3	27.5	41.2	45.4	45.2	43.3	52.0	52.9	52.3	54.6	53.3	53.8	54.6	54.8	56.5	54.5	55.3	56.0	
FSM-R Aff	2.5	2.9	3.7	4.3	4.2	4.1	5.1	5.1	5.2	5.3	5.4	5.4	5.6	5.5	5.6	5.7	5.9	6.1	
+ Eff. Inl. Eval	87.2	100.3	112.6	142.9	138.8	123.6	148.2	145.6	131.8	157.4	150.2	147.7	161.0	154.1	152.7	161.8	165.4	165.6	
+ Eff. Inl. Post	2.6	3.0	3.9	4.6	4.4	4.3	5.5	5.6	5.4	5.7	5.6	5.6	6.0	6.0	6.1	6.3	6.6		
FSM Sim	25.2	30.1	44.3	48.4	48.4	47.8	56.8	57.0	57.3	58.5	57.7	57.8	58.9	59.4	61.2	58.9	59.5	60.1	
+ Eff. Inl. Eval	180.6	192.0	208.6	241.3	235.9	221.2	247.9	244.9	231.8	258.5	249.0	245.9	260.2	255.3	253.9	260.8	266.3	265.5	
+ Eff. Inl. Post	25.3	30.2	44.6	48.8	48.5	48.2	57.3	58.0	57.8	59.6	58.3	58.8	59.6	60.9	61.3	61.1	60.7	61.6	
FSM-R Sim	2.4	2.7	3.5	4.1	4.0	3.9	4.8	4.9	4.9	5.2	5.0	5.1	5.4	5.3	5.4	5.5	5.6	5.8	
+ Eff. Inl. Eval	86.4	99.6	111.8	141.9	141.7	122.2	146.6	144.3	130.6	156.2	148.7	145.6	159.9	153.0	151.5	160.1	164.0	164.1	
+ Eff. Inl. Post	2.5	2.8	3.7	4.4	4.2	4.1	5.2	5.2	5.3	5.5	5.3	5.5	5.8	5.7	5.8	5.9	6.3	6.3	
HPM	0.6	0.5	0.7	1.0	0.9	0.8	1.0	1.0	0.8	1.1	1.0	0.9	1.0	0.9	1.0	1.0	1.0	1.3	
ADV	0.9	1.1	1.3	1.8	1.7	1.6	2.0	2.0	1.8	2.3	2.0	2.1	2.4	2.3	2.3	2.4	2.5	2.5	
PGM	14.8	11.4	11.6	12.4	12.3	12.5	12.1	12.1	11.9	11.8	12.0	11.8	12.0	12.1	12.3	12.0	11.8	11.8	
Ours	0.8	0.6	0.7	1.0	1.0	0.9	1.1	1.1	1.0	1.2	1.2	1.1	1.3	1.2	1.2	1.4	1.4	1.4	
+ Eff. Inl. Post	0.8	0.7	0.8	1.1	1.0	0.9	1.2	1.2	1.1	1.4	1.3	1.2	1.4	1.3	1.4	1.5	1.5	1.6	

Table 7. Verification accuracy and efficiency measured on our new Paris6k dataset using a vocabulary of 1M words.

	-	F100k	EU	US	EU+US	UK+EU+US	OX+UK+EU+US	All	
mAP [%]									
Pure Retrieval	70.2	60.1	55.5	54.0	50.7	49.0	48.1	47.8	
FSM Aff	72.2	64.5	60.1	59.6	56.9	55.7	55.2	54.9	
+ Eff. Inl. Eval	72.4	64.9	60.0	60.3	57.5	56.3	55.7	55.4	
+ Eff. Inl. Post	72.0	64.6	60.0	59.0	56.9	55.6	55.0	54.9	
FSM-R Aff	72.2	64.1	60.4	59.3	59.6	56.7	55.7	54.9	
+ Eff. Inl. Eval	72.4	64.7	60.4	60.9	59.3	58.9	57.2	55.9	
+ Eff. Inl. Post	72.0	64.5	64.0	60.7	59.6	56.7	54.9	54.7	
FSM Sim	72.0	64.0	59.7	59.3	56.6	55.4	54.9	54.5	
+ Eff. Inl. Eval	72.1	64.4	60.1	59.8	57.0	55.8	53.8	54.8	
+ Eff. Inl. Post	71.9	64.0	59.5	59.2	56.5	55.2	54.7	54.3	
FSM-R Sim	71.9	63.9	59.6	59.2	56.5	55.2	54.7	54.3	
+ Eff. Inl. Eval	72.0	64.2	59.9	59.6	56.6	55.7	55.1	54.6	
+ Eff. Inl. Post	71.8	63.8	59.3	59.0	56.2	55.0	54.5	54.0	
HPM	70.0	60.5	54.8	54.4	50.9	49.5	48.8	48.5	
ADV	69.4	61.9	58.5	54.8	55.7	54.3	53.8	53.4	
PGM	69.9	59.9	54.7	53.1	49.8	48.0	47.3	46.9	
Ours	71.5	63.4	58.6	58.2	55.5	54.4	53.8	53.6	
+ Eff. Inl. Post	72.0	64.0	59.7	59.3	55.6	55.5	54.9	54.6	
	Runtime [s]								
FSM Aff	35.9	8.6	33.6	15.6	15.4	16.7			
+ Eff. Inl. Eval	324.6	415.1	432.6	434.0	492.5	529.0	540.1	581.0	
+ Eff. Inl. Post	35.9	47.2	60.2	58.8	81.7	84.2	88.1	89.9	
FSM-R Aff	6.4	8.6	10.4	10.6	16.1	16.4	17.6		
+ Eff. Inl. Eval	181.1	204.2	285.0	286.9	329.0	349.3	363.0	376.0	
+ Eff. Inl. Post	6.6	8.4	10.4	10.6	16.1	16.4	17.6		
FSM Sim	38.8	46.8	64.3	62.2	86.6	87.1	92.1	87.6	
+ Eff. Inl. Eval	361.2	440.7	468.4	471.2	530.3	561.9	575.1	603.0	
+ Eff. Inl. Post	39.2	48.4	64.6	63.1	88.3	88.9	91.0	88.5	
FSM-R Sim	6.3	8.3	9.6	9.8	13.2	14.8	14.9	16.1	
+ Eff. Inl. Eval	178.3	241.2	280.2	283.3	331.0	361.9	370.7	381.3	
+ Eff. Inl. Post	6.5	8.6	10.1	10.4	13.0	15.6	15.7	17.0	
HPM	1.1	1.3	1.4	1.5	2.0	2.4	2.4	2.7	
ADV	2.0	2.7	3.2	3.1	4.3	4.9	5.2	5.3	
PGM	15.5	15.1	15.1	14.9	15.0	15.7	15.5	15.3	
Ours	1.0	1.4	1.7	1.7	2.4 </td				